



	A	A	B	B
產品編號	SK-215LS	SK-2215LS	SK-2125LS	SK-2225LS
輸入電壓	AC10~120V 50/60Hz	AC220~240V 50/60Hz	AC110~120V 50/60Hz	AC22~240V 50/60Hz
扭力	(Kgf.cm)	2~15	2~15	5~25
	(L.bf.in)	1.76~13.2	1.76~13.2	4.4~22
扭力精度 (%)	±5%	±5%	±5%	±5%
扭力調整	無段式	無段式	無段式	無段式
空轉速 (r.p.m)	1000	1000	1000	1000
無負荷電流 (A)	0.3A	0.2A	0.3A	0.2A
適用螺絲直徑 (mm)	機械牙	2.0~4.0	2.0~4.0	2.6~5.0
	自攻牙	2.0~3.0	2.0~3.0	2.6~4.0
重量 (g)	480	480	600	600
長度 (mm)	230	230	264	264
價格	5000	7500	8500	9000
適用起子頭				



調整容易:


☆順時鐘方向，可延長

☆反時鐘方向，即可縮短

產品編號	品名	規格	單位	價格
259-1200	彈簧吊車	載重0.6~1.5kg	支	750

"L"表示手按式 "P"表示下壓式 "F"表示快速機型

圖形	型號	電壓	扭力(kgf. cm)	空轉速	重量(g)	長度(mm)	價格
	SK-205LS	110V	0.5~7	1000 rpm	480	230	5000
	SK-2205LS	220V	0.5~7	1000 rpm	480	230	7500
	SK-3110L	110V	0.5~4.5	1000 rpm	500	230	8930
	SK-3210L	220V	0.5~4.5	1000 rpm	500	230	12330
	SK-3120L	110V	2~10	1000 rpm	500	230	8930
	SK-3220L	220V	2~10	1000 rpm	500	230	12330
	SK-3180L	110V	3~16	1000 rpm	500	230	9570
	SK-3280L	220V	3~16	1000 rpm	500	230	13390
	SK-3180LF	110V	1~10	2000 rpm	500	230	11160
	SK-3280LF	220V	1~10	2000 rpm	500	230	13820
		SK-3110P	110V	1~5	1000 rpm	500	230
SK-3210P		220V	1~5	1000 rpm	500	230	13990
SK-3120P		110V	2~10	1000 rpm	500	230	11160
SK-3220P		220V	2~10	1000 rpm	500	230	13990
SK-3180P		110V	3~16	1000 rpm	500	230	12220
SK-3280P		220V	3~16	1000 rpm	500	230	14450
SK-3180PF		110V	1~10	2000 rpm	500	230	12650
SK-3280PF		220V	1~10	2000 rpm	500	230	15090
	SK-9131L	110V	5~20	1000 rpm	620	264	13390
	SK-9231L	220V	5~20	1000 rpm	620	264	15300
	SK-9131LF	110V	2~15	2000 rpm	620	264	14030
	SK-9231LF	220V	2~15	2000 rpm	620	264	16150
	SK-9131P	110V	5~20	1000 rpm	620	264	13390
	SK-9231P	220V	5~20	1000 rpm	620	264	15300
	SK-9131PF	110V	2~15	2000 rpm	620	264	14030
	SK-9231PF	220V	2~15	2000 rpm	620	264	16150
	SK-9130P	110V	5~22	1000 rpm	700	269	13390
	SK-9230P	220V	5~22	1000 rpm	700	269	15300
	SK-9140P	110V	10~30	700 rpm	700	269	14670
	SK-9240P	220V	10~30	700 rpm	700	269	16580
	SK-9150P	110V	15~45	500 rpm	700	269	16150
	SK-9250P	220V	15~45	500 rpm	700	269	17850
	SK-9130PF	110V	4~18	1900 rpm	700	269	14030
	SK-9230PF	220V	4~18	1900 rpm	700	269	16150
		SKD-2000	DC24/32	0.2~3.5	1000/700	270	205
SKD-2200		DC24/32	0.5~7	1000/700	270	205	9570
SKD-2300		DC24/32	1~10	1000/700	270	205	9570
SKD-5200		DC24/32	1~12	1000/700	270	205	8930
SKD-5300		DC24/32	3~16	1000/700	270	205	9570



產品編號	品名	規格	扭力kgf/cm	空轉速	單位	價格
A	203-215M	電動起子 壓板式半自動	2~15kgf/cm	轉速1000RPM	支	5500
B	203-588	電動起子 壓板式	5~25kgf/cm	轉速1000RPM	支	9750
C	203-588P	電動起子 下壓式半自動	5~25kgf/cm	轉速1000RPM	支	9750
D	203-5210M	電動起子 壓板式	0.3~5kgf/cm	轉速1000RPM	支	10500
E	203-5212M	電動起子 壓板式	2~12kgf/cm	轉速1000RPM	支	10500
F	203-5218M	電動起子 壓板式	2~16kgf/cm	轉速1000RPM	支	10500
G	203-5120M	電動起子 下壓式全自動	2~20kgf/cm	轉速1000RPM	支	12250
H	203-5130PM	電動起子 下壓式全自動	5~30kgf/cm	轉速1000RPM	支	17000